


TIMELESS NORWEGIAN CRAFT



JØTUL PRODUCT CATALOGUE
2024



CONTENTS

JØTUL F 105 AND JØTUL F 305..... 6

JØTUL F 130 8

JØTUL F 160 10

JØTUL F 170 - **NEW** 12

JØTUL F 200 16

JØTUL F 205 17

JØTUL F 230 18

JØTUL F 260 19

JØTUL F 360 ADVANCE 20

JØTUL F 370 ADVANCE..... 24

JØTUL F 520 28

JØTUL F 620 - **NEW** 30

JØTUL F 602 ECO..... 32

JØTUL F 100 ECO.2..... 33

JØTUL F 400 ECO 34

JØTUL F 500 ECO 35

JØTUL FS 162 ADVANCE / JØTUL FS 173..... 36

JØTUL FS 175 37

JØTUL FS 520..... 38

JØTUL FS 620..... 39

JØTUL I 520 - SERIES 42

JØTUL I 620 - SERIES 43

JØTUL I 400..... 44

JØTUL C 400 AND JØTUL C 24..... 45

JØTUL OUTDOOR FIREPLACES 47

JØTUL TIPS..... 48

JØTUL TECHNICAL INFORMATION..... 56

-
-  www.facebook.com/jotul
 -  [@JotulStoves, #jotul](#)
 -  pinterest.com/jotul
 -  youtube.com/user/JotulAS
 -  linkedin.com/company/jotul-as



IT ALL BEGAN IN 1853...

Norway's nature, culture and craftsmanship are the most important things in our heritage. Our interest in heat and heating combined with traditional craftsmanship, its aesthetic and quality are the important parts in defining the essence of Jøtul.



NORWEGIAN CRAFTSMANSHIP SINCE 1853

Jøtul is one of the oldest producers of wood stoves, fireplace inserts and fireplaces in the world. Building on a proud Norwegian tradition, we have been combining fine craftsmanship with the art of coping with the cold for over 170 years.

Cast iron – lasting quality

Jøtul's product development team always keeps "Design for Manufacturing" top of mind. Our products are made of recycled cast iron and the main principle is that it must be possible to design and produce everything that we make. Our products always meet all test requirements and approval criteria and must be able to live up to our customers' high expectations.



"No two castings are exactly the same which means that each product is unique."

Espen Auensen, Jøtul Research and Development Manager



NORWEGIAN CULTURAL HERITAGE AND CRAFTSMANSHIP

Norwegian cultural heritage and craftsmanship are core elements of what Jøtul stands for. We therefore always use Norwegian designers and have in-house project engineers. One of the most important jobs they do is to design a product that is then crafted in cast iron. This involves close collaborative working between the modelling workshop, laboratory and production. Interaction and good dynamics are key to the progress of the projects and to enabling the development of high-quality products.

We have our own modelling workshop and foundry right next door to our development facility, allowing the departments to work efficiently and give each other feedback throughout the development process.





ENVIRONMENTALLY AWARE WITH CLEAN BURN TECHNOLOGY

Thanks to a continuous focus on research, development and testing, Jøtul is now a world-leader within Clean burn Technology. But why is it so important to be 'best in class' regarding clean burn wood stoves, fireplaces and fireplace inserts?

Well, first and foremost, it is a question of improving the climate, by reducing airborne dust to a minimum. This is followed by saving consumers money, because Clean burn Technology gives you more heat per log.

RECIRCULATED HEAT

Reuse, recirculation, circular economy, climate impact and sustainability. These are core values which are deeply entrenched in our philosophy and set the agenda for the way in which Jøtul is managed today and how we are preparing for the future. It makes it easy for the consumer to make environmentally friendly choices when they invest in a new wood stove or fireplace.

We are the only stove manufacturer anywhere in the world to manufacture wood stoves, fireplaces and fireplace inserts with renewable energy in the form of Norwegian hydropower. A significant proportion of the raw materials we use consist of old cast iron stoves which have been melted down for recycling. The recycled stoves are basically taken into the factory at one end and come out at the other as modern, clean burn versions at the other. If we also take into account the fact that wood-firing is CO₂-neutral, we can safely claim that Jøtul's stoves are a sustainable resource!



René Christensen,
Senior Vice President
Sales and Marketing
at Jøtul

"It is our corporate social responsibility to contribute to a healthier climate and the green switch. As more and more consumers want to make their choices based on the environment and sustainability, we want to help them make those choices by offering environmentally friendly products, manufactured in an environmentally friendly way."

WOOD STOVES WITH CHARACTER

Jøtul F 105 and F 305 combines almost 170 years of experience in making functional wood stoves with top notch design. The stoves have an unmatched view to the fire and their large burn chambers make it easy to position logs and kindling. They combine radiated and convected heat, making it easy to position and ensure a pleasant room temperature. An ash lip and soapstone top can be fitted as an optional accessory on some of the models.



EFFICIENCY: 83 %

ECOLABEL: **A+**

LOG SIZE: 33 CM

EFFECT NOMINAL: 4,5 KW



JØTUL F 105 LL

In spite of its size the Jøtul F 105 is a wood stove that stands out from the rest. Some of the distinctive design elements of this wood stove include the large horizontal glass door and the intuitive air controls that make it very user friendly.

ACCESSORIES:

Soapstone top, ash lip, short legs (SL), Jøtul universal heating top, external air kit, handle for ashpan, heat shield.



COLOURS:

- BLACK PAINT
○ WHITE ENAMEL

WEIGHT APPROX.:

97 KG

DIMENSIONS

(H×W×D):

690×410×325 MM (LL)

550×410×325 MM (SL)

JØTUL F 105 B

The Jøtul F 105 is also available on a closed base version which follows the shape of the stove down to the floor. The unbroken lines and smooth surface of the cast iron gives the clean design. Jøtul F 105 is designed to perform optimally at low heat output, while being robust enough to fend off cold snaps

ACCESSORIES:

Soapstone top, Jøtul universal heating top, external air kit, handle for ashpan, heat shield.



COLOURS:

- BLACK PAINT

WEIGHT APPROX.:

107 KG

DIMENSIONS

(H×W×D):

690×410×325 MM



reddot award 2015
winner

DOGA AWARD

EFFICIENCY: 79 %

ECOLABEL: **A**

LOG SIZE: 41 CM

EFFECT NOMINAL: 7 KW



JØTUL F 305 LL

The Jøtul F 305 on legs has a light touch about it, focusing on showcasing the flames and the fire within. The horizontal format of the burn chamber makes it easy to burn large pieces of wood.

ACCESSORIES:

Soapstone top, ash lip, short legs (SL), Jøtul universal heating top, external air kit, heat shield.



COLOURS:

● BLACK PAINT

○ WHITE ENAMEL

WEIGHT APPROX.:

137 KG

DIMENSIONS

(H×W×D):

850×560×420 MM (LL)

650×560×420 MM (SL)

JØTUL F 305 B

The Jøtul F 105 is also available on a closed base version which follows the shape of the stove down to the floor. The unbroken lines and smooth surface of the cast iron gives the clean design. Jøtul F 105 is designed to perform optimally at low heat output, while being robust enough to fend off cold snaps

ACCESSORIES:

Soapstone top, Jøtul universal heating top, external air kit, handle for ashpan, external air kit, heat shield.



COLOURS:

● BLACK PAINT

WEIGHT APPROX.:

163 KG

DIMENSIONS

(H×W×D):

850×560×420 MM

FLEXIBLE INSTALLATION

The Jøtul F 130-series is clean burning with a modern combustion system making it more efficient and reducing wood consumption by up to 40%. Integrated convection allows you to install the stove closer to combustible material. The designers behind this range is the award-winning design company Hareide Design.

EFFICIENCY: 83 %

ECOLABEL: **A+**

LOG SIZE: 25 CM

EFFECT NOMINAL: 4,7 kW



JØTUL F 134

Jøtul F 134 sits on a stylish base.

ACCESSORIES:

Glass or steel floor plate and external
air kit 100 mm



COLOURS:

● BLACK PAINT

WEIGHT APPROX.:

140 KG

DIMENSIONS (H×W×D):

1098×410×396 MM

JØTUL F 135

Jøtul F 135 sits on a stylish base with
side glass which offers a great view to
the fire.

ACCESSORIES:

Glass or steel floor plate and external
air kit 100 mm



COLOURS:

● BLACK PAINT

WEIGHT APPROX.:

140 KG

DIMENSIONS (H×W×D):

1098×410×396 MM

JØTUL F 136

Jøtul F 136 sits on a stylish pedestal.

ACCESSORIES:

Glass or steel floor plate and external
air kit 100 mm



COLOURS:

● BLACK PAINT

WEIGHT APPROX.:

120 KG

DIMENSIONS (H×W×D):

1098×410×396 MM

JØTUL F 137

Jøtul F 137 sits on a stylish pedestal
with side glass which offers a great
view to the fire.

ACCESSORIES:

Glass or steel floor plate and external
air kit 100 mm



COLOURS:

● BLACK PAINT

WEIGHT APPROX.:

120 KG

DIMENSIONS (H×W×D):

1098×410×396 MM

THE INTERIOR DESIGNERS FAVOURITE

The Jøtul F 160 series consists of four models, with or without side glass and different bases. Parts of this series may be clad in soapstone for decoration and heat retaining properties. With a soapstone top the wood stove keeps more of the heat while the fire is going. It is adapted to modern houses and is suitable for low effect heating.

EFFICIENCY: 82 %

ECOLABEL: **A+**

LOG SIZE: 33 CM

EFFECT NOMINAL: 5 kW



reddot award 2011
winner

JØTUL F 162

Jøtul F 162 is characterised by its sleek look and three sturdy legs that give the wood stove an easy and modern look.

ACCESSORIES:

Jøtul universal heating top, soapstone top, steel floor plate, external air kit and cover for external air kit.



COLOURS:

● BLACK PAINT

WEIGHT APPROX.:

115 KG

DIMENSIONS (H×W×D):

903×450×447 MM

JØTUL F 163

Jøtul F 163 features large side glass and three sturdy legs that give the stove an easy and modern look. Choose between black paint surface or maintenance free white enamel.

ACCESSORIES:

Jøtul universal heating top, soapstone top, steel floor plate, external air kit and cover for external air kit.



COLOURS:

● BLACK PAINT

○ WHITE ENAMEL

WEIGHT APPROX.:

115 KG

DIMENSIONS (H×W×D):

903×450×447 MM

JØTUL F 165

Jøtul F 165 is characterised by the large side glasses and the practical storage space in the base where you can hide non combustible accessories and clutter that will otherwise just be lying around.

ACCESSORIES:

Jøtul universal heating top, soapstone top, steel floor plate, external air kit.



COLOURS:

● BLACK PAINT

WEIGHT APPROX.:

145 KG

DIMENSIONS (H×W×D):

1033×450×447 MM

JØTUL F 167

The Jøtul F 167 woodstove is characterised by the large sideglass and the elegant placement on top of a pedestal which with time has become an award-winning signature design for Jøtul.

ACCESSORIES:

Jøtul universal heating top, soapstone top, steel floor plate, external air kit.



COLOURS:

● BLACK PAINT

WEIGHT APPROX.:

140 KG

DIMENSIONS (H×W×D):

1033×450×447 MM

JØTUL F 170 - NEW

NEXT GENERATION WOOD BURNING

The The stoves in the 170 range incorporate smart air control technology from Zensoric and practical features, making them an ideal heating solution for any home. And with their sleek, exclusive design, the stoves in this range are also a stylish addition to any living room. Automatic air control ensures optimal combustion at all times and eliminates the need for manual adjustment. Sit back and let the wood burner do the work. Explore the 170 range of stoves that burn properly and efficiently with a minimum of effort.



In 2024 the Jøtul F 170 series won the IF Design award for design Excellence in the discipline Product design.

EFFICIENCY: 76 %

ECOLABEL: **A**

LOG SIZE: 30 CM

EFFECT NOMINAL: 5 KW





Powered by
 Zensoric

JØTUL F 174

Freestanding wood burning stove in an elegant design with good visibility into the flames. Magnetic self-closing door and smart technology make this stove both safe and easy to use. Equipped with Zensoric air control for maximum utilization of the wood and minimal impact on the environment.

ACCESSORIES:

Jøtul Heat Storage system, glass floor plate and external air kit.



Self-closing door with magnetic closure and solid wooden handle that stays cool when the wood stove is in use.



The D-shape allows the product to be placed closer to the wall

COLOURS:

WEIGHT APPROX.:

DIMENSIONS (H×W×D):

● BLACK PAINT

169 KG

1400×492×415 MM

ZENSORIC AUTOMATIC AIR CONTROL

The Jøtul F 170 with Zensoric puts ease of use and comfort at the forefront because it automatically adjusts the draft and even signals when it's time to add more wood.


Zensoric air control is controlled by a temperature sensor which ensures that the correct amount of air is supplied to the stove at exactly the right time to optimize combustion of the wood. Additionally you may add fuel to suit your own heating requirements

ZENSORIC GIVES YOU:

- Ease of use
- Lower emissions
- Even heat and longer burning time
- Cleaner glass
- Less ash



Read more about Zensoric



When it's time to add more wood, the wood stove notifies you with a green light signal.



Zensoric is powered by a motor that is easily charged with a USB-C charger.

It only needs to be charged once per wood burning season normal use.



JØTUL F 171

The stylish shape and revolutionary fi ring technology make this wood burning stove both functional and aesthetically pleasing. Self-closing door with magnetic lock and a reminder when more wood needs to be added make this wood burning stove both safe and easy to use.

ACCESSORIES:

Jøtul Heat Storage system, glass floor plate and external air kit.



COLOURS:

WEIGHT APPROX.:

DIMENSIONS (H×W×D):

● BLACK PAINT

148 KG

1100×492×415 MM

JØTUL F 176

Tall free standing wood burning stove in elegant design. Large glass door provides a fantastic view of the flames. The wood burning stove has room for several heat storing stones at the top to make optimal use of the heat.

ACCESSORIES:

Jøtul Heat Storage system, glass floor plate and external air kit.



COLOURS:

WEIGHT APPROX.:

DIMENSIONS (H×W×D):

● BLACK PAINT

183 KG

1600×492×415 MM

REINVENTING A CLASSIC

Based on the exterior of one of Jøtul's best-selling classics, Jøtul F 200 has brought a piece of the heritage and 170 years of experience with heat, and given it a modern interpretation.

The stove is available with short or long legs. You can easily control the air flow with just one lever and emptying of ash is made simple with an easily accessible ash solution at the bottom of the combustion chamber. With solid materials, traditional craftsmanship and the latest heating technology, we have created a classic for the future.

EFFICIENCY: 82 %

ECOLABEL: **A+**

LOG SIZE: 37 CM

EFFECT NOMINAL: 5 KW



JØTUL F 200

The organic shapes are delicately stylised, with a beautifully curved top, Gothic-inspired railings that frame the fire and four solid legs that complete the impression.

ACCESSORIES:

Short legs (SL), Jøtul universal heating top, external air kit 80 mm and cover for external air.



COLOURS:

WEIGHT APPROX.:

DIMENSIONS (H×W×D):

● BLACK PAINT

138 KG

755×561×472 MM (LL)

705×561×472 MM (SL)



The details of the cast iron side panels are part of the Jøtul DNA with a magnificent play of stripes that give a touch of modernity.

NORDIC MINIMALISM

In Jøtul F 205, we have united Scandinavian design with state-of-the-art heating technology and sustainable materials, the result is a compact wood stove with natural and light expression. At 75 centimeters, the stove may look small at first glance, but the Jøtul F 205 is designed to perform optimally at low power, while being robust enough to handle the cold peaks. You control the air flow easily with just one lever and emptying of ash is made simple with an easily accessible ash solution at the bottom of the combustion chamber.

EFFICIENCY: 82 %

ECOLABEL: **A+**

LOG SIZE: 37 CM

EFFECT NOMINAL: 5 KW



JØTUL F 205

It may look small at first glance, but the Jøtul F 205 is designed to perform optimally at low power, while being robust enough to handle the cold peaks.

ACCESSORIES:

Short legs (SL), Jøtul universal heating top, external air kit 80 mm and cover for external air.



The Jøtul F 205 offers a beautiful play of curved and straight lines for a unique style. With a particular mention for the striated cast iron side panels.

COLOURS:

● BLACK PAINT

WEIGHT APPROX.:

138 KG

DIMENSIONS (H×W×D):

755×561×472 MM (LL)

705×561×472 MM (SL)

MODERN FIRING TECHNOLOGY

This wood-burning stove has simple, clean lines, which give it a timeless expression. Hareide Design has utilised the design-friendly properties of cast iron and designed a stove with a soft overall impression and great flame view. Jøtul F 230 series benefits from ground-breaking combustion technology, which allows for easy installation. Integrated supply air through third party concentric flue system makes the Jøtul F 230 ideal for new, modern low energy houses built according to today's stringent requirements.

EFFICIENCY: 80 %

ECOLABEL: **A+**

LOG SIZE: 33 CM

EFFECT NOMINAL: 6 KW



JØTUL F 232

The Jøtul F 232 comes without side glass and has simple, clean lines, which give it a timeless expression.

ACCESSORIES:

6 mm decorative floor plate.

Single wall pipe rear outlet kit*

Single wall pipe top outlet kit*

*one of the above required if not using concentric flue pipe.

Concentric flue pipe available, contact dealer for details.



COLOURS:

WEIGHT APPROX.:

DIMENSIONS (H×W×D):

● BLACK PAINT

129 KG

1012×471×399 MM

JØTUL F 233

The Jøtul F 233 comes with side glass and has a soft overall impression and great flame view.

ACCESSORIES:

6 mm decorative floor plate.

Single wall pipe rear outlet kit*

Single wall pipe top outlet kit*

*one of the above required if not using concentric flue pipe.

Concentric flue pipe available, contact dealer for details.



COLOURS:

WEIGHT APPROX.:

DIMENSIONS (H×W×D):

● BLACK PAINT

130 KG

1012×471×399 MM

EASY TO INVEST

A huge advantage of the Jøtul F 260 series is the smaller distance to combustibles at only 10 cm. The heating principle is based on thermal convection, i.e. heat circulates between the firebox and the outer jacket, and the temperature of the outer surface remains lower.



EFFICIENCY: 82 %

ECOLABEL: **A+**

LOG SIZE: 33 CM

EFFECT NOMINAL: 6 KW



JØTUL F 263

Jøtul F 263 indoor log burner is part of the F 260 series which consists of two types. These are convection wood stoves that are well suited for installation against combustible material. The wood stove is made for modern living and is suited for low effect heating. It burns at an optimal level even at 3kW.

ACCESSORIES:

Jøtul universal heating top, glass or steel floor plate and external air kit.



COLOURS:

● BLACK PAINT

WEIGHT APPROX.:

160 KG

DIMENSIONS (H×W×D):

1087×519×491 MM

JØTUL F 263

The Jøtul F 263 S soapstone wood burner is part of the F260 series. Jøtul F263 S has large side glasses and panels of soapstone integrated in the design of the wood stove. The soapstone wood burner retains heat while the wood stove is in use and releases the heat slowly even after the fire is out.

ACCESSORIES:

Jøtul universal heating top, glass or steel floor plate and external air kit.



COLOURS:

● BLACK PAINT

WEIGHT APPROX.:

220 KG

DIMENSIONS (H×W×D):

1120×519×491 MM

JØTUL F 360 ADVANCE

MULTIPLE OPTIONS

Our Jøtul F 360 V2 Advance series consists of five main cast iron models. Each of which can be customised. In the same way as our award-winning Jøtul F 370 V2 Advance series, the new stoves have different base options, and you can add items like rotating plates and high top to achieve the stove you want.

The magnetic door lock, ensures that the door opens gently and effortlessly. The integrated “stay function” makes it easier for you to add logs, the door remains open until you apply a little pressure to the handle and closes again by itself. Thanks to the newly developed seals with soft-close effect, the door closes slowly, gently and silently.

EFFICIENCY: 78 %

ECOLABEL: **A**

LOG SIZE: 33 CM

EFFECT NOMINAL: 6 KW





JØTUL F 361 ADVANCE

Jøtul F 361 Advance has a cast iron base with a removable shelf. It has a vertical combustion chamber which provides large and attractive flames.

ACCESSORIES:

Cast iron door for base, top plate in soapstone, 6 mm decorative glass, 1 mm steel floor plate and external air kit.



COLOURS: ● BLACK PAINT
WEIGHT APPROX.: 172 KG
DIMENSIONS
(H×W×D): 1155×443×453 MM

JØTUL F 368 ADVANCE

Jøtul F 368 Advance has a closed base with integrated door.

ACCESSORIES:

Top plate in soapstone, 6 mm decorative glass, 1 mm steel floor plate and external air kit.



COLOURS: ● BLACK PAINT
WEIGHT APPROX.: 179 KG
DIMENSIONS
(H×W×D): 1155×443×453 MM

JØTUL F 363 ADVANCE

Jøtul F 363 Advance sits on an elegant pillar that can be turned 360°.

ACCESSORIES:

Rotating plate, soapstone top, glass or steel floor plate and external air kit.



COLOURS: ● BLACK PAINT
WEIGHT APPROX.: 164 KG
DIMENSIONS
(H×W×D): 1155×443×453 MM



Jøtul F 360 Advance are triangular with rounded edges.



A vent valve ensures easy and proper firing.



The integrated "stay function" in the door makes it easier for you to add logs without holding the door.

JØTUL F 361 HT ADVANCE

Jøtul F 361 High Top Advance has a top with room for Heat storage*) and a base with a practical removing shelf for storage.

ACCESSORIES:

Jøtul Heat Storage System, cast iron door for base, 6 mm decorative glass, 1 mm steel floor plate and external air kit.

*) Read more about Jøtul Heat Storage System on page 51

COLOURS: ● BLACK PAINT
WEIGHT APPROX.: 201 KG
DIMENSIONS
(H×W×D): 1534×443×453 MM



JØTUL F 368 HT ADVANCE

Jøtul F 368 High Top Advance has a top with room for Heat storage*) and a closed base with shelf.

ACCESSORIES:

Jøtul Heat Storage System, 6 mm decorative glass, 1 mm steel floor plate and external air kit.

*) Read more about Jøtul Heat Storage System on page 51

COLOURS: ● BLACK PAINT
WEIGHT APPROX.: 208 KG
DIMENSIONS
(H×W×D): 1534×443×453 MM



JØTUL F 370 ADVANCE

DESIGN ICON

The iconic and award-winning Jøtul F 370 Advance series has been further improved and offers you even more functionality. With the new, magnetic door lock, you will experience a gentle and effortless opening of the door.

The integrated “stay function” makes it easier for you to add more logs. The door remains open until you apply a little pressure to the handle and it closes again by itself. Thanks to the newly developed seals with soft close the door closes slowly, gently and silently.



In 2017 the Jøtul F 370 Advance series won the IF Design award for design Excellence in the discipline Product design.

EFFICIENCY: 78 %

ECOLABEL: **A**

LOG SIZE: 33 CM

EFFECT NOMINAL: 6 KW





JØTUL F 371 ADVANCE

The Jøtul F 371 Advance is characterised by a base in a sleek design, clean lines and a practical shelf for storage in its base.

ACCESSORIES:

Cast iron door for base, top plate in soapstone, 6 mm decorative glass, 1 mm steel floor plate and external air kit.



COLOURS: ● **BLACK PAINT**
 WEIGHT APPROX.: **164 KG**
 DIMENSIONS
 (H×W×D): **1155×443×453 MM**

JØTUL F 378 ADVANCE

Jøtul F 378 Advance has a clean appearance with a door in cast iron. It sits on base with clean lines all the way to the floor.

ACCESSORIES:

Top plate in soapstone, 6 mm decorative glass, 1 mm steel floor plate and external air kit.



COLOURS: ● **BLACK PAINT**
 WEIGHT APPROX.: **171 KG**
 DIMENSIONS
 (H×W×D): **1155×443×453 MM**

JØTUL F 373 ADVANCE

The Jøtul F 373 Advance is characterised by its modern design where the combustion chamber sits on a pedestal. This model is a re-design of the only wood stove in the world to have won the prestigious, international "Red dot design award: best of the best".

ACCESSORIES:

Rotating plate, soapstone top, glass or steel floor plate and external air kit.



COLOURS: ● **BLACK PAINT**
 ○ **WHITE ENAMEL**
 WEIGHT APPROX.: **156 KG**
 DIMENSIONS
 (H×W×D): **1155×443×453 MM**



A vent valve ensures easy and proper firing.



The integrated "stay function" in the door makes it easier for you to add logs without holding the door.



Top plate in soapstone can be selected as decor for the Jøtul 370 Advance series.

JØTUL F 371 HT ADVANCE

The Jøtul F 371 HT Advance has an open base with a practical storage space and a detachable shelf. This is a tall product where you can integrate hidden, heat accumulating stone*). The wood stove has a sleek and modern design.

ACCESSORIES:

Jøtul Heat Storage System, cast iron door for base, glass or steel floor plate and external air kit.

*) Read more about Jøtul Heat Storage System on page 51

COLOURS: ● **BLACK PAINT**
WEIGHT APPROX.: **193 KG**
DIMENSIONS
(H×W×D): **1534×443×453 MM**



JØTUL F 378 HT ADVANCE

Jøtul F 378 HT Advance has an elegant cast iron door placed in front of the base storage which includes a detachable shelf. This is a tall product where you can integrate hidden, heat accumulating stone*). The wood stove has a sleek and modern design.

ACCESSORIES:

Jøtul Heat Storage system, soapstone top, removable shelf in the base, glass or steel floor plate and external air kit.

*) Read more about Jøtul Heat Storage System on page 51

COLOURS: ● **BLACK PAINT**
WEIGHT APPROX.: **200 KG**
DIMENSIONS
(H×W×D): **1534×443×453 MM**



JØTUL F 377 ADVANCE

Jøtul F 377 Advance includes elegant and heat-retaining décor from soapstone. It also features a practical storage space in the base with a detachable shelf for increased flexibility.

ACCESSORIES:

Cast iron door for base, glass or steel floor plate and external air kit.

COLOURS: ● **BLACK PAINT**
WEIGHT APPROX.: **221 KG**
DIMENSIONS
(H×W×D): **1172×494×489 MM**



JØTUL F 377 HT ADVANCE

Jøtul F 377 HT Advance is a tall product made from cast iron and soapstone. It has an elegant and modern design where you can integrate hidden, heat accumulating stone*).

ACCESSORIES:

Jøtul Heat Storage system, cast iron door for base, glass or steel floor plate and external air kit.

*) Read more about Jøtul Heat Storage System on page 51

COLOURS: ● **BLACK PAINT**
WEIGHT APPROX.: **271 KG**
DIMENSIONS
(H×W×D): **1551×494×489 MM**



LIVINGROOM CAMPFIRE


Jøtul F 520 and Jøtul F 520 HT offers a wide expanse of glass, the flames can be fully enjoyed from three sides of the stove. With a special glass coating feature, the glass stays clean.

EFFICIENCY: 77 %

ECOLABEL: **A**

LOG SIZE: 50 CM

EFFECT NOMINAL: 7 KW





JØTUL F 520 HT

Jøtul F 520 HT has a panoramic view to the flames. You get a feeling of an open fireplace, but with low wood consumption and environmentally friendly combustion. Jøtul F 520 High Top has room for 60 kg heat accumulating stones*) placed in the top of the stove which gives up to 12 hours extra heat after the last load of wood.

ACCESSORIES:

Jøtul Heat Storage System, ash lip, floor plate in steel or glass and external air kit.



COLOURS:

WEIGHT APPROX.:

DIMENSIONS (H×W×D):

● BLACK PAINT

200 KG

1319×594×532 MM

JØTUL F 520

The smart construction of the air valves makes the stove easy to light and is user friendly. The white enamelled burn plates also offer a clean and light view of the burn chamber when the stove is not in use. In the base of the stove there is a practical room for wood storage.

ACCESSORIES:

Ash lip, floor plate in steel or glass and external air kit.



COLOURS:

WEIGHT APPROX.:

DIMENSIONS (H×W×D):

● BLACK PAINT

17 KG

1000×594×532 MM

WHEN SIZE MATTERS

The Jøtul F 620 concept consists of four fireplace variations built around the heart of the popular I 620 fireplace. The large top of the stove also acts as an efficient heat plate.

EFFICIENCY: 77 %

ECOLABEL: **A**

LOG SIZE: 60 CM

EFFECT NOMINAL: 8,5 KW



JØTUL F 620 LB

You get a modern, individual fireplace solution by placing this stove body model on a base/bench made of e.g. brick or concrete.

ACCESSORIES:

Ashtray, handle replacement kit, windshield/glass.



COLOURS:

● BLACK PAINT

WEIGHT APPROX.:

174 KG

DIMENSIONS (H×W×D):

536×724×446 MM

JØTUL F 620 B

This model includes a spacious plinth. The fire can easily fit within a half-meter diameter. Several pots can be used on top of the stoves wide top heating plate.

ACCESSORIES:

Ashtray, handle replacement kit, windshield/glass, fresh air connection.



COLOURS:

● BLACK PAINT

WEIGHT APPROX.:

215 KG

DIMENSIONS (H×W×D):

1000×724×546 MM

JØTUL F 620 P

The striking, sturdy column foot creates a completely new look and a real eye-catcher. It can efficiently heat even the most spacious rooms.

ACCESSORIES:

Ashtray, handle replacement kit, windshield/glass, fresh air connection.



COLOURS:

● BLACK PAINT

WEIGHT APPROX.:

206 KG

DIMENSIONS (H×W×D):

950×715×446 MM

JØTUL F 620 B HT

High Top version of the F 620 B. Inside the upper part of the HT it is able to accept heat storage*), which helps the stove stay warmer longer.

ACCESSORIES:

Ashtray, hand replacement kit, front panel/glass, fresh air connection, fresh air connection, Jøtul Heat Storage System.

*) Read more about Jøtul Heat Storage System on page 51



COLOURS:

● BLACK PAINT

WEIGHT APPROX.:

255 KG

DIMENSIONS (H×W×D):

1340×715×546 MM

TIMELESS CLASSIC

The Jøtul F 602 Eco is one of Jøtul's timeless classics. With its iconic design, dating back to 1940, and modern combustion technology it offers the best of both worlds.

This wood stove has the possibility of connection to fresh air, and is adapted to even the most demanding modern homes. This is a practical wood stove, with both personality and character.



EFFICIENCY: 81 %

ECOLABEL: **A+**

LOG SIZE: 40 CM

EFFECT NOMINAL: 4,9 KW



JØTUL F 602 ECO

The Jøtul F 602 Eco has the possibility of connection to fresh air, and is adapted to even the most demanding modern homes.

Jøtul F 602 Eco can also be used for cooking. It comes with a high-efficiency hotplate and can also be equipped with a smaller hotplate.

ACCESSORIES:

Hot plate, convection plate side, cover for outdoor air (floor), adapter for connection to fresh air, air kit.



Wooden handle in line with Jøtul's classic design.

Jøtul F 602 Eco can also be used for cooking. It comes with a high-efficiency hotplate and can also be equipped with a smaller hotplate.



Features a lion motif on the side.

COLOURS:

- BLACK PAINT
- BLUE BLACK ENAMEL

WEIGHT APPROX.:

87 KG

DIMENSIONS (H×W×D):

637×320×540 MM

COMPACT CLASSIC WITH NEW TECHNOLOGY

Warm, classic design and heating technology from the top shelf - these have been Jøtul's core values for more than almost 170 years.

And now we have once again fine-tuned one of our most beloved models with state-of-the-art combustion technology, built for the environmental requirements of the future.

EFFICIENCY: 80 %

ECOLABEL: **A**

LOG SIZE: 35 CM

EFFECT NOMINAL: 4,9 KW



JØTUL F 100 ECO.2

Jøtul F 100 ECO.2 is characterized by a Norwegian traditional pattern, which frames the flames in a horizontal glass door with good visibility. The stove is compact and fits most heating needs well. The stove has a smart internal ash solution that makes removing the ashes an easy job, without ash spills.



ACCESSORIES:

Extra heat shield rear, floor plate.

COLOURS:

WEIGHT APPROX.:

DIMENSIONS (H×W×D):

● BLACK PAINT

89 KG

658×528×445 MM

JØTUL F 100 SE ECO.2

The Jøtul F 100 SE (Special Edition) has the same characteristics as the standard F 100 ECO.2, but the Jøtul signature arches in the doors have been removed to improve the view to the fire.



ACCESSORIES:

Extra heat shield rear, floor plate.

COLOURS:

WEIGHT APPROX.:

DIMENSIONS (H×W×D):

● BLACK PAINT

89 KG

658×528×445 MM

SOLID LARGE CAST IRON WOOD STOVE

Jøtul F 400 Eco SE is one of the largest cast iron wood stoves on the Norwegian market, with room for logs of up to 50 cm. This model has a large external ash removal solution which facilitates convenient emptying of the ashes. The ash lip catches ashes and sparks that may accidentally fall out of the combustion chamber. The wood stove has a large glass door that provides a perfect view of the burning logs and is embellished with a pattern that outlines part of the Norwegian coastline.



EFFICIENCY: 84 %

ECOLABEL: **A+**

LOG SIZE: 50 CM

EFFECT NOMINAL: 7 KW



JØTUL F 400 ECO

Large classic cast iron stove. The stove is easy to use, with just one air valve to make lighting easier and keep the fire going for a longer period of time. You can easily control the air flow with just one lever. Emptying the ash is practical and easy as well, and is collected in a spacious ash drawer under the stove.



ACCESSORIES:

Floor plate, external air kit 80 mm, fresh air adaptor.

COLOURS:

WEIGHT APPROX.:

DIMENSIONS (H×W×D):

● BLACK PAINT

158 KG

727×670×597 MM

JØTUL F 400 SE ECO

The Jøtul F 400 SE (Special Edition) has the same characteristics as the standard F 400 ECO, but the Jøtul signature arches in the doors have been removed to improve the view to the fire.



ACCESSORIES:

Floor plate, external air connector and external air kit 100 mm.

COLOURS:

● BLACK PAINT
● BLUE BLACK ENAMEL
○ IVORY ENAMEL

WEIGHT APPROX.:

DIMENSIONS (H×W×D):

158 KG

727×670×597 MM

LARGE CLASSIC CAST IRON WOOD STOVE

Jøtul F 500 ECO takes the legacy of the past into the future, as classic design and new heating technology merge. This is a large stove with a really smart use - it is possible to add wood both from the glass door in front, or from the beautifully decorated side door. It has an external ash solution that makes it easy to empty the ash and a practical ash lip effectively captures embers or ash.

EFFICIENCY: 85 %

ECOLABEL: **A+**

LOG SIZE: 55 CM

EFFECT NOMINAL: 8,8 KW



JØTUL F 500 ECO

This is a large wood stove in a classic design, with one of the largest styled doors available, which gives a fantastic view of the flames. Side and front door loading options allow for the wood stove to be positioned in a variety of settings.

ACCESSORIES:

Floor plate, external air connector and external air kit 100 mm.



COLOURS:

WEIGHT APPROX.:

DIMENSIONS (H×W×D):

● BLACK PAINT

200 KG

732×793×713 MM

JØTUL F 500 SE ECO

The Jøtul F 500 SE (Special Edition) has the same characteristics as the standard F 500 ECO, but the Jøtul signature arches in the doors have been removed to improve the view to the fire.

ACCESSORIES:

Floor plate, external air connector and external air kit 100 mm.



COLOURS:

WEIGHT APPROX.:

DIMENSIONS (H×W×D):

● BLACK PAINT

● BLUE BLACK ENAMEL


○ IVORY ENAMEL

200 KG

732×793×713 MM

STYLISH SOAPSTONE FIREPLACE

Soapstone is a natural stone that stores heat and slowly releases it back into the room over time. It is excellently suited as a cladding material for cast iron inserts.



JØTUL FS 162 ADVANCE

Freestanding fireplace with heat-storing soapstone, and an award-winning fireplace insert. This round fireplace is flexible when it comes to placement. It is just as suitable for mounting in corners as against a straight wall. The three glasses provide a good view of the flames from several angles in the room.

ACCESSORIES:

Additional height soapstone element and floor plate.



EFFICIENCY:	78 %
ECOLABEL:	A
LOG SIZE:	33 CM
EFFECT NOMINAL:	6 KW
COLOURS:	● BLACK PAINT/ SOAPSTONE
WEIGHT APPROX.:	158 KG
DIMENSIONS (H×W×D):	1580×602×602 MM



JØTUL FS 173

Jøtul FS 173 is a stylish soapstone fireplace with a view to the fire from three sides. Using a valve on top of the fireplace, you can choose whether the heat is sent directly into the room as convection heat - or whether you want to store the heat in the soapstone. Jøtul FS 173 is adapted to Jøtul I 520 FRL.

ACCESSORIES:

Door lock left, external air kit.



EFFICIENCY:	77 %
ECOLABEL:	A
LOG SIZE:	50 CM
EFFECT NOMINAL:	7 KW
COLOURS:	● BLACK PAINT/ SOAPSTONE
WEIGHT APPROX.:	348 KG
DIMENSIONS (H×W×D):	1698×574×530 MM





JØTUL FS 175

Jøtul FS 175 is a modern soapstone enclosure that takes up little space in the room. It's easy to set up. The fireplace can be built to different heights with an additional element (accessory). This fireplace is heat-storing and emits comfortable and warm heat over time. Using a valve on top of the fireplace, you can keep the heat in the soapstone or slowly release it back into the room, long after the fire goes out. Jøtul FS 175 is adapted to Jøtul I 520 F with glass in front. The fireplace is available in two heights 128 cm and 153 cm.

ACCESSORIES:

Door lock left, external air kit, additional height soapstone element and floor plate.



EFFICIENCY:

77 %

ECOLABEL:



LOG SIZE:

50 CM

EFFECT NOMINAL:

7 KW

COLOURS:

● BLACK PAINT/
SOAPSTONE

WEIGHT APPROX.:

340 KG

DIMENSIONS (H×W×D):

1285×850×520 MM



ENJOY THE FLAMES

Spend time on what matters - family, friends and fun. The Jøtul FS 520 series is a series of complete fireplaces consisting of custom framing with insert. The fireplaces are very quick and easy to install, and the surface can be painted in the desired color immediately after installation. To create your personal style, you can of course choose a finer or coarser surface. The choice is yours!



JØTUL FS 520 F

Jøtul FS 520 F is adapted to the Jøtul I 520 cast iron insert and has glass in the front. The product is adapted to ventilated and standard pipe.

ACCESSORIES:

Jøtul Heat Storage System, fresh air connection and door lock left.



EFFICIENCY: 77 %
 ECOLABEL: **A**
 LOG SIZE: 50 CM
 EFFECT NOMINAL: 7 KW
 COLOURS: ● BLACK PAINT/
 CALCIUM SILICATE
 WEIGHT APPROX.: 183 KG
 DIMENSIONS
 (H×W×D): 1685×800×540MM



JØTUL FS 520 FL/FR

Jøtul FS 520 FL / FR is adapted to the Jøtul I 520 cast iron insert and has glass front and left or right side. The product is adapted to ventilated and standard pipe.

ACCESSORIES:

Jøtul Heat Storage System, fresh air connection and door lock left.



EFFICIENCY: 77 %
 ECOLABEL: **A**
 LOG SIZE: 50 CM
 EFFECT NOMINAL: 7 KW
 COLOURS: ● BLACK PAINT/
 CALCIUM SILICATE
 WEIGHT APPROX.: 213 KG
 DIMENSIONS
 (H×W×D): 1685×800×600MM



FIREPLACE WITH PERSONAL TOUCH

The Jøtul FS 620 is a large, attractive fireplace whose heart is the Jøtul I 620 FRL, which can hold more than half a meter of firewood.




JØTUL FS 620

The installation kit consisting of calcium silicate firewall plates takes care of all necessary dimensions and requirements, and contains everything for a simple and safe installation. Choose the surface and colour you want your fireplace to have. A perfect base for creating your own personal expression.

ACCESSORIES:

Jøtul Heat Storage System, fresh air connection circulating air grills, white or black.



EFFICIENCY: 77 %
 ECOLABEL: **A**
 LOG SIZE: 60 CM
 EFFECT NOMINAL: 9 KW
 COLOURS: ● BLACK PAINT/
 CALCIUM SILICATE
 WEIGHT APPROX.: 233 KG
 DIMENSIONS
 (H×W×D): 1800×730×548MM



The installation package includes:

- Firewall boards / shell
- Insert Jøtul I 620 FRL
- Leg set
- Cover
- Glue
- Installation tape
- Screws

INSERTS AND CASSETTES

The landscape 'air washed' doors on the Jøtul Cassettes and Inserts not only give a wonderful view of the fire; they are the central features of these built in fireplaces. Ideally sized to fit most conventional fireplace openings, the Jøtul Cassettes offer convected heat circulation to reach out to the corners of your room.

The Jøtul Cassettes and Inserts give you the pleasures of traditional home heating combined with an astounding fire view.





JØTUL I 520 - SERIES

Jøtul I 520 is one of the most popular products in Jøtul's portfolio. With great view to the flames and its simple features, it has quickly gained recognition in the insert market.



EFFICIENCY: 84 %

ECOLABEL: **A+**

LOG SIZE: 50 CM

EFFECT NOMINAL: 7 KW



JØTUL I 520

The Jøtul I 520 series is a flexible insert system that consists of four inserts. You can choose whether you want glass on one, two or three sides. The design is timeless and the construction optimal and futuristic. Jøtul I 520 has enamelled burn plates which provide a light and airy flame picture. All glass has a heat-reflecting surface that ensures cleaner glass and better combustion. Even though the insert is large, it works well even at 3.9 kW effect.

ACCESSORIES:

Leg stand, door lock left, broad frames, cassette grids, external air kit and complete convection top

COLOURS:

WEIGHT APPROX.:

DIMENSIONS (H×W×D):

(I 520 F):

(I 520 FR/FL):

(I 520 FRL):

● BLACK PAINT

CA 110 KG

499×670×431 MM

499×632×431 MM

499×594×431 MM



Jøtul I 520 F



Jøtul I 520 FRL



Jøtul I 520 FR



Jøtul I 520 FL

JØTUL I 620 - SERIES

Jøtul I 620 is easy to install and is just as suitable as a fireplace insert for open/old fireplaces as for fireplaces with a more contemporary design. It is up to you whether you want glass on one, two or three sides.



EFFICIENCY: 85 %

ECOLABEL: **A**

LOG SIZE: 55 CM

EFFECT NOMINAL: 8,8 KW



JØTUL I 620

Despite its size, this insert is designed to burn at an optimal level even at low effect. The burn chamber is light with burn plates made from white vermiculite and durable white enamelled cast iron. Symbols on the air-vents facilitate correct use of the fireplace. Equipped as standard with a slim, removable decorative frame that offers a smooth transition to the firewall.

ACCESSORIES:

Leg stand, cassette grill, external air kit and steel floorplate.

COLOURS:

WEIGHT APPROX.:

DIMENSIONS (H×W×D):

(I 620 F):

(I 620 FR/FL):

(I 620 FRL):

● BLACK PAINT

153 - 171 KG

499×800×432 MM

499×762×432 MM

499×723×432 MM



Jøtul I 620 F



Jøtul I 620 FR



Jøtul I 620 FL



Jøtul I 620 FRL

MODERN FIREPLACE INSERT

The Jøtul I 400 series offers modern design and technology.

Jøtul I 400 Flat has a flat front and Jøtul I 400 Panorama has arched glass and both offer a great view of the burning logs. Jøtul I 400 Harmony has two doors that can be folded to the side to offer the open fireplace feeling.



EFFICIENCY: 74 %

ECOLABEL: **A**

LOG SIZE: 40 CM

EFFECT NOMINAL: 6 KW



JØTUL I 400

These are medium-sized fireplace inserts with a modern design and a large glass window that provides a perfect view of the burning logs. Jøtul I 400 has light burn plates that make the fireplace insert look light and attractive even when the fire is not lit.

ACCESSORIES:

External air kit, installation kit for cassette, ash solution and grid..

COLOURS:

WEIGHT APPROX.:

DIMENSIONS (H×W×D):

(I 400 FLAT):

(I 400 HARMONY):

(I 400 PANORAMA):

● BLACK PAINT

CA 125 KG

524×640×422 MM

524×640×516 MM

524×640×516 MM



Jøtul I 400 Flat



Jøtul I 400 Panorama



Jøtul I 400 Harmony

RENEWAL OF OLD FIREPLACE

Jøtul cassettes are ideally sized to fit most conventional fireplace openings. A renewal like this one from an old open fireplace into a modern and efficient closed combustion system, will not only provide a design improvement, but also better heating efficiency and less emissions. With a Jøtul I 400 Panorama the family still have a great view to the fire. It is easier to change than you may think.

JÄLKEEN

ENNEN

EFFICIENCY: 74 % / 78 %

ECOLABEL: **A**

LOG SIZE: 40 CM / 50 CM

EFFECT NOMINAL: 6 KW / 7 KW



JØTUL C 400

From open fireplace to efficient heat source.

The Jøtul C 400 is a fireplace cassette that can transform your open fireplace into a beautiful and efficient fireplace. The product is designed by Hareide Design. Our cassettes fit most new fireplaces. With closed doors you can see the heat and the glass door gives a good view of the flames.

ACCESSORIES:

External air kit and ash solution.

COLOURS: **● BLACK PAINT**

WEIGHT APPROX.: **CA 125 KG**

DIMENSIONS

(H×W×D): **524×640×516 MM**



Jøtul C 400 Panorama



Jøtul C 400 Harmony

JØTUL C 24

The Jøtul C 24 cassette offers one of the world's largest views to the fire, compared to the size of the cassette. The clean design makes it suitable for any interior style. The burn chamber itself is surrounded by a convection box, making it ideal for transforming old, open fireplaces into modern and efficient closed combustion systems, whilst respecting the need to still have a great view to the fire.



ACCESSORIES:

Tangential fan and external air kit.

COLOURS: **● BLACK PAINT**

WEIGHT APPROX.: **136 KG**

DIMENSIONS

(H×W×D): **510×705×441 MM**



SMOKE PIPE



Jøtul has a wide range of varnished and enamelled smoke pipes for fireplaces and other fireplaces.

FLOOR PLATES



Jøtul offers a wide variety of floorplates for wood stoves. Here you will find floorboards and floorglass in a variety of materials, styles and colors - all to match your stove and your home.

KINDLING

THIS IS HOW YOU IGNITE CORRECTLY!

1. Place two pieces of firewood horizontally on top of the grate.
2. Spread a generous layer of finely chopped matchsticks on top of them in crosswise layers.
3. Finally, place a couple of Jøtul Firestarters (lighters) on top of the ignition charge, and possibly one more piece of firewood. Light it up and enjoy the heat.





JØTUL LOKE

Jøtul Loke lets you be close to the open flames with its tall and sturdy design – a robust fireplace that can be left outside during all seasons.

ACCESSORIES:
Firescreen, grill set.

COLOURS: ● CORTEN STEEL
LOG SIZE: MAX 40 CM
WEIGHT APPROX.: 26 KG
DIMENSIONS(H×W×D): 1480×450×400 MM



JØTUL FRØYA

The Jøtul Frøya is available in corten steel and is designed to withstand all types of weather all year long. It is designed to make your outdoor space even more inviting.

ACCESSORIES:
Firescreen, grill set.

COLOURS: ● CORTEN STEEL
LOG SIZE: MAX 40 CM
WEIGHT APPROX.: 15 KG
DIMENSIONS(H×W×D): 1460×580×580 MM



JØTUL TERRAZZA

Jøtul Loke lets you be close to the open flames with its tall and sturdy design – a robust fireplace that can be left outside during all seasons.

ACCESSORIES:
Firescreen, grill set.

COLOURS: ● CORTEN STEEL
LOG SIZE: MAX 60 CM
WEIGHT APPROX.: 30 KG
DIMENSIONS(H×W×D): 1180×500×500 MM



JØTUL TERRAZZA XL

The Jøtul Frøya is available in corten steel and is designed to withstand all types of weather all year long. It is designed to make your outdoor space even more inviting.

ACCESSORIES:
Firescreen, grill set.

COLOURS: ● CORTEN STEEL
LOG SIZE: MAX 60 CM
WEIGHT APPROX.: 41 KG
DIMENSIONS(H×W×D): 1600×560×560 MM





WHAT TO CONSIDER WHEN INSTALLING A STOVE

Here are some issues that you should think through or investigate before you start the process of buying a new stove. They are relevant whether you go to one of Jøtul's network of dealers or if you want to do most of the work yourself (subject to planning permission).

Heating effect and living area

In order to get the most enjoyment from your stove, it is very important that the size is right for your living area and heating needs. If the stove is too big, you will constantly be using it shut down because you will not need the heat and end up with soot on the glass and in your chimney because it is not being run hot enough. (Please see the information on our clean-burn system). If the wood stove is too small, it will be over fired and its lifetime will be considerably reduced due to the excessive heat.

The dealer needs information about living area and type of insulation in your home in order to give you good advice. Normally, the need for heating in EU homes is about 1 kilowatt for every 14 cubic metres. To work out your requirements, multiply your room width and length measured in metres, by your room height in metres (i.e. 5m x 7m = 35 x 2.5m = 87.50). This means that your room, with a

normal sized window and number of doors, has a volume of 87.5 cubic metres and will need approximately a $(87.5 \div 14)$ 6 kW Jøtul stove.

This can be reduced or increased by type of insulation, the number of windows, ceiling height and so on.

Ventilation

In order to function properly, the stove needs air. The chimney pulls air through the stove, but if your house is very well sealed and insulated, or if mechanical ventilation is fighting the natural draught in the chimney, you can experience problems with the function of the stove. The recommended solution is to connect so-called "outside air" or "closed combustion" to the stove.

If you live in a house with new and tight insulation or have mechanical extraction, it is important that you consider this when you plan the installation of your stove.

Window glass and insulation

Old and draughty houses with poor insulation need considerably more heating than houses with proper insulation and triple glazed windows. The scope of the heat loss in your home is something that you know best, but if you reside in a low energy house or a newer house, it is important to choose a stove that works well on low effect.

The Jøtul F 160 series is a great example of these type of wood stoves - it burns optimally even at 3 kW.

Chimney

Most problems with stoves stem from the chimney having incorrect dimensions or not working properly. In order for a stove to work optimally, a chimney should be sized and fitted correctly, in accordance to local building regulations.



In the installation and User Guides you find information about the necessary draught for the different products to function optimally.

A rule of thumb is that 1 metre of chimney creates 4 Pascal of draught. Few stoves can function on less than 12 Pascal. Sharp bends on the flue outlet reduces the draught. If you are unsure about how your chimney works, the Jøtul retailer or the Chimney Sweep Association can help you. You can also get help to renovate or line your old chimney or alternatively install a steel chimney. Steel chimneys are reasonably priced and a satisfactory alternative to the traditional brick chimney.

Where the stove should be installed

Different stoves have different features. Some are designed to be placed close to flammable material, while others require a fireproof barrier in order to be placed close to the wall. A drawing that shows where the stove should be placed in relation to the chimney outlet, fireproof wall and furniture will be of great help when you seek advice with the experts.

Suitable hearth requirements

Most of Jøtul's wood stoves are tested to EN 13240, part of which requires that the stove does not increase the temperature of the hearth the stove is sited on above 100 degrees centigrade. For example current UK building regulations state that if an appliance does not raise hearth temperature above 100 degrees centigrade then the hearth does not need to be constructional and a supplementary hearth may be used. Your Jøtul dealer or local building control officer should be consulted for clarification and further instruction.

Installation

The installation should be carried out by a certificate installer or signed signed off by your local building control inspector.

Talking to professionals from our network of dealers early on, can save you both time and money. They can give you useful advice that is fit for your needs, your living situation and of course, your budget. They are relevant whether you go to one of Jøtul's network of dealers or if you want to do most of the work yourself (subject to planning permission).

DO YOU NEED HELP WITH INSTALLATION?

The Jøtul retailer often offers a complete installation service to ensure that the fireplace is installed according to all regulations. The product is delivered with with a QR code to access installation instructions.

The fireplace must be inspected by a qualified installer or your local building control inspection authority, before use.

After installation, the product must be approved by authorized personnel that changes have been made to an existing fireplace or a new one was installed.




RADIATION OR CONVECTION HEATING?

Did you know that different woodstoves create different types of heating? And they work in very different ways.

Research shows that people are most comfortable in a room where they feel warm up to chest height, but where the air is not too heavy to breathe in.



Radiation heating



Convection heating

Most cast iron woodstoves provide radiation heating. The rays of heat will heat people, surfaces and objects in a room, and it works quickly. Radiation heating is ideal for rooms with high ceilings. It creates an even heat where needed, so neither your feet nor your nose need to be cold. The concept of convection heating will draw cold air in under the woodstove, heat it up between double sidewalls and release it on the top. The heat rises to the ceiling and will gradually be “pressed” down. In the beginning your head will feel warmer than your feet. Convection woodstoves are a good choice if you want to place the woodstove near flammable materials or don’t have a firewall behind it.


EFFICIENT HEAT

Jøtuls clean burning fireplaces and stoves work well at low effect in terms of efficiency and particulate emissions. Since the stoves are more efficient they also use less wood so that the cost for heating is reduced. Jøtul offers a wide range stoves that are ideal for new homes.



HEAT STORAGE SYSTEM

Thanks to heat retaining stones placed in the top of the stove it can give up to 12 hours extra heat after the last load of wood. Light the fire in the morning and go to work, when you get home, it is still warm.





25 YEARS GUARANTEE!

We wish to offer our customers the best of the best, and for this reason all products are handmade from the best available materials.

The exceptional durability is the reason that Jøtul offers a 25 year warranty against failure due to faulty manufacture - the longest on the market.

Cast iron fireplaces have a basic 5-year warranty on external castings. You may extend the warranty on external cast-iron parts to 25 years by registering your purchase within three months of purchase. All inquiries must go through a Jøtul dealer.

Warranty includes all components except consumables (grates and flame path equipment) and does not include labour.

We refer to full terms and conditions on our webpage:
<https://intl.jotul.com/warranty>



INTERNET POLICY

Jøtul's products are sold through a network of highly trained retailers, able to offer you the very best advice on the most suitable stove for your individual needs and circumstances, with the option of installation and appropriate after sales service for your purchase.

In order to ensure that you benefit from this, we do not recommend purchasing a Jøtul stove over the Internet where this level of advice and service may not be available.


If you do decide to buy your stove over the Internet, ensure that you buy from a dealer who can offer expert advice on the most suitable product for your needs, and who is able to install your stove and service it when necessary.

In particular, we would suggest that you avoid buying Jøtul stoves over the Internet, especially from a retailer who is not local to you, and who is, therefore, unlikely to be able to provide you with the appropriate support.

ECOLABEL

The Ecodesign - and the Ecolabel Directive are two instruments initiated by the EU. They aim to reduce the environmental impact of energy-related products throughout their life cycle. This allows you to choose the most energy-efficient wood stove on the market.

Marking our products with their energy-efficiency class will guide you to choose the most energy-efficient product, with the lowest operating cost and impact on the environment. All in order for you to make your best choice for the present, - for the future and for the environment.



SYMBOLS



Meets Ecodesign

Marking of a fireplace that meets the Ecodesign requirements, applicable in the EU from 2022.



Clean burn

This means that fireplace has a dual combustion system that converts up to 90% of the gases and particles in smoke to heat. This provides the absolute minimum level of smoke emission because the fireplace uses the energy to give heat instead of smoke



Closed combustion

Products with closed combustion system takes air through a separate air channel directly from the combustion chamber and through an outside wall or through the floor



40 % Less wood

Modern wood stoves have 40 % more efficient combustion and 90 % fewer emissions than old fireplaces.

JØTUL UNIVERSAL HEATING TOP

The efficiency of the heating plate depends on several factors such as draft, fuel quality and heating power. The choice of pot/frying pan is also important.

As an accessory for the following models:
Jøtul F 105, F 160, F 200, F 260, F 305, F 480





GET THE FIRE STARTED EVERY TIME

Start the fire from the top! Correct wood burning is more environmentally friendly, reduces costs and increases fire safety.

Starting the fire from the top provides quicker heating of the burn chamber, which provides proper draft in the flue and pipe quickly, more oxygen to the flames and higher temperature. The flames on the top heats up the logs underneath so that they release the gasses that make the fire burn and keep on burning. Use firelighters to ensure rapid lighting of the kindling wood on the top. In this way, you will avoid unnecessary smoke in the kindling phase.

Slow kindling and low temperature lead to an increase in airborne dust that is many times multiplied.

How to build a fire

Use logs of dry wood on the bottom and a mix of kindling wood and a couple of firelighters on the top. Finish it off with a large log.

Use dry wood

A rule of thumb is that dry wood is lighter and has deeper cracks. When hitting two logs against each other, it should sound like a bat hitting a ball. If you use wood with a higher moisture content (more than 20%), the emissions of soot and particles will be 10 to 30 times higher than if you use dry wood.

Light the fire from the top

Lighting the fire from the top will make the burn chamber heat up faster. Consequently, you get a nice draft in the flue and pipe, more oxygen for the flames and a higher temperature.

Make sure there is enough air

Make sure there is enough air in the house, so that the woodstove has enough air for the combustion process.

Kitchen fans and ventilation systems that pull air out of the house will reduce the draft in the chimney.

Open up all vents in the woodstove. Feel free to open the door slightly for up to 5 minutes until the fire is burning properly. When the fireplace is warm, after about 15 minutes, the vents can be adjusted again. It is important not to shut the damper (if used) too much, as this will suffocate the flames. The wood should always burn with a visible flame. Fires without flames emit twice as much soot and particles.

USE 40% LESS WOOD

Jøtul's clean burning fireplaces and stoves are more efficient and require much less wood than the "old" non clean burning, to produce the same amount of heat. If you burn correctly, this can mean a reduction in wood consumption by up to 40 %. The environmental clean-burning stoves are entirely positive.

They reduce particulate emissions by 90 % set against old fireplaces. The dual combustion system also allows the gases and particles burning up before they go up the chimney.





WOOD-FIRING - A CLIMATE-FRIENDLY ALTERNATIVE!

Most people want to make climate-friendly choices on behalf of the next generation. It is therefore good to know that wood is a renewable, low mileage resource, and that our clean burn, wood-based stoves and fireplaces are environmentally friendly products. This makes it particularly satisfying to settle down with a good book in front of your stove or fireplace and simply enjoy the sound of the crackling fire. The sound of contentment!



A RELIABLE SOURCE OF HEAT THAT YOU CAN DEPEND ON

The history and tradition of Jøtul mean a lot to our customers, our partners and to us who work here. Our commitment to quality, innovation, safety and environmental protection are the pillars of our production, from concept to end product.

Thanks to these core values, you can rest assured that your product will be a reliable source of heat for many years to come.



FIND ALL DOCUMENTATION ONLINE

There are many things to consider when buying and installing a new wood stove or fireplace. Find help and guidance on our website.






Select product, click **Technical Specifications**. Here you will find everything from weight to performance.

Documents gives you access to all manuals, floor plan drawings and any technical documents you may need.



All documentation on our products is always available on our web pages at intl.jotul.com/
Or by scanning the QR-code under the product.


WOOD STOVES

	JØTUL F 100 ECO.2 LL/ F 100 ECO.2 LL SE	JØTUL F 105 LL	JØTUL F 105 B	JØTUL F 134	JØTUL F 135	JØTUL F 136	JØTUL F 137
Page	33	6	6	9	9	9	9
STANDARD:							
Heat output (Nominal)	4,9	4,5	4,5	4,7	4,7	4,7	4,7
Efficiency (%)	80	83	83	83	83	83	83
Maximum log lenght (cm)	35	33	33	25	25	25	25
External air connection	-	•	•	•	•	•	•
Flue outlet: Top(T) / Rear (R) / Side (S)	T/R	T/R	T/R	T/R	T/R	T/R	T/R
Distance to combustible (calculated with semi-insulated steel chimney. Some products may need convection plate) Rear (A)/side (B)/corner (C) (mm)	100/500/350	100/400/300	100/400/300	100/300/75	100/400/180	100/300/75	100 400/180
Distance to firewall Rear (D)/side (E)/corner (F) (mm)	40/100/40	75/150/100	75/150/100	50/150/50	50/200/50	50/150/50	50/200/50
Height flue outlet mm (top)	630	690	690	1053	1053	1053	1053
Height center flue outlet mm (rear)	526	590	590	952	952	952	952
Outside air connection, distance from rear to centre flue pipe X (mm)*	-	110	110	123	123	123	123
Outside air connection, distance from floor to centre flue pipe Y (mm)*	-	216	80	108	108	108	108
Flue size - Ø (mm)	125/150	125	125	150	150	150	150
Weight approx. (kg)	89	97	107	140	140	120	120
Dimensions (mm) (HxWxD)	658x528x445	690x410x325	690x410x325	1098x410x396	1098x410x396	1098x410x396	1098x410x396
Ash solution (*accessories)	•	•	•	•	•	•	•
FINISH OPTIONS:							
BP Black paint	•	•	•	•	•	•	•
WHE White enamel		•					
IVE Ivory enamel							
BBE Blue black enamel							
QR-CODE:							
Scan the QR-code and find all information and technical documentation online.							


* see sketch on page 60

MINIMUM DISTANCE TO WALL

Minimum distance to combustible wall
(distances A, B and C). More information at intl.jotul.com



Minimum distance to combustible wall protected by approved firewall
(distances D, E and F). More information at intl.jotul.com



JØTUL F 162/F 163	JØTUL F 165	JØTUL F 167	JØTUL F 171	JØTUL F 174	JØTUL F 176	JØTUL F 200	JØTUL F 205	JØTUL F 232	JØTUL F 233
10	10	10	12	12	12	16	17	18	18
5	5	5	5	5	5	5	5	6	6
82	82	82	76	76	76	82	82	80	80
33	33	33	30	30	30	37	37	33	33
•	•	•	•	•	•	•	•	•	•
T/R	T/R	T/R	T/R	T/R	T/R	T/R	T/R	T/R	T/R
150/700/400	150/700/400	150/700/400	50/550/100	50/550/100	50/550/100	50/350/150	50/375/175	30/350/50	30/550/325
100/300/150	100/300/150	100/300/150	50/381/87	50/381/87	50/381/87	50/200/100	50/219/115	30/175/50	30/350/150
863	993	993	928	1228	1228	755	755	973	973
789	919	919	832	1132	1132	623	623	831	831
119	108	229	148	148	148	167	167	-	-
100	133	138	91	91	91	210	210	-	-
150	150	150	150	150	150	150	150	150	150
115	145	140	148	169	183	138	138	129	130
903x450x447	1033x450x447	1033x450x447	1100x492x415	1400x492x415	1600x492x415	755x561x472	755x521x472	1012x471x399	1012x471x399
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
• (F 163)									








TECHNICAL INFORMATION – ALL THE DETAILS

Choosing a Jøtul stove is supposed to be easy. This is why we have chosen to provide a detailed overview of everything you need to know before making your choice. The manual is always to be used for installation, but the sketches in this section will give you a good technical overview.

Measurements and Clearances state the dimensions of the product and distances to be taken into consideration when assembling. Jøtul recommends a furniture distance from fireplace at minimum 1000 mm.

Our dealers are highly competent and are always available if you have any questions..


WOOD STOVES

	JØTUL F 263	JØTUL F 263 S	JØTUL F 305 LL	JØTUL F 305 B	JØTUL F 361 ADVANCE	JØTUL F 361 HT ADVANCE	JØTUL F 363 ADVANCE
Page	19	19	6	6	22	23	22
STANDARD:							
Heat output (Nominal)	5	5	7	7	6	6	6
Efficiency (%)	82	82	79	79	78	78	78
Maximum log lenght (cm)	33	33	41	41	33	33	33
External air connection	•	•	•	•	•	•	•
Flue outlet: Top(T) / Rear (R) / Side (S)	T/R	T/R	T/R	T/R	T/R	T/R	T/R
Distance to combustible (calculated with semi-insulated steel chimney. Some products may need convection plate) Rear (A)/side (B)/corner (C) (mm)	100/350/100	100/350/100	100/400/250	100/400/250	100/ 525/425	100/525/425	100/525/425
Distance to firewall Rear (D)/side (E)/corner (F) (mm)	50/150/50	50/150/50	50/200/50	50/200/50	50/200/150	50/200/150	50/200/150
Height flue outlet mm (top)	987	987	795	795	1090	1090 + flue 450	1090
Height center flue outlet mm (rear)	913	913	730/530	730	1025	1025	1025
Outside air connection, distance from rear to centre flue pipe X (mm)*	93	93	135	135	68	68	68
Outside air connection, distance from floor to centre flue pipe Y (mm)*	100	100	100	100	120	120	-
Flue size - Ø (mm)	150	150	150	150	150	150	150
Weight approx. (kg)	160	220	137	163	172	201	164
Dimensions (mm) (HxWxD)	1087x519x491	1120x519x491	850x560x395 650x560x395	850x560x395	1155x443x453	1534x443x453	1155x443x453
Ash solution (*accessories)	•	•	•	•	•	•	•
FINISH OPTIONS:							
BP Black paint	•	•	•	•	•	•	•
WHE White enamel			•				
IVE Ivory enamel							
BBE Blue black enamel							
QR-CODE:							
Scan the QR-code and find all information and technical documentation online.							


* see sketch on page 60























































MINIMUM DISTANCE TO WALL

Minimum distance to combustible wall
(distances A, B and C). More information at intl.jotul.com



Minimum distance to combustible wall protected by approved firewall (distances D, E and F). More information at intl.jotul.com




JØTUL F 368 ADVANCE	JØTUL F 368 HT ADVANCE	JØTUL F 371 ADVANCE	JØTUL F 371 HT ADVANCE	JØTUL F 373 ADVANCE	JØTUL F 377 ADVANCE	JØTUL F 377 HT ADVANCE	JØTUL F 378 ADVANCE	JØTUL F 378 HT ADVANCE
22	23	26	27	26	27	27	26	27
6	6	6	6	6	6	6	6	6
78	78	78	78	78	78	78	78	78
33	33	33	33	33	33	33	33	33
								
T/R	T/R	T/R	T/R	T/R	T/R	T/R	T/R	T/R
100/525/425	100/525/425	75/700/450	75/700/450	75/700/450	50/600/450	50/600/450	75/700/450	75/700/450
50/200/150	50/200/150	50/450/200	50/450/200	50/450/200	50/424/200	50/424/200	50/450/200	50/450/200
1090	1090 + flue 450	1090	1090 + flue 450	1090	1090	1090 + flue 450	1090	1090 + flue 450
1025	1025	1025	1025	1025	1025	1025	1025	1025
68	68	68	68	68	68	68	68	68
120	120	120	120	-	120	120	120	120
150	150	150	150	150	150	150	150	150
179	208	164	193	156	221	271	171	200
1155x443x453	1534x443x453	1155x443x453	1534x443x453	1155x443x453	1172x494x489	1551x494x489	1155x443x453	1534x443x453
								
								
								
								
								








FLUE OUTLET SKETCH

The most common measurements to flue outlet is shown in the overview where it refers to X and Y dimensions.

Please see intl.jotul.com for further information or scan the QR code below the product.




WOOD STOVES AND FIREPLACES

	JØTUL F 520/F520 HT	JØTUL F 520 HT	JØTUL F 400 ECO / F 400 SE ECO	JØTUL F 500 ECO / F 500 SE ECO	JØTUL F 602 ECO	JØTUL F 620 B	JØTUL F 620 B HT
Page	29	29	34	35	32	31	31
STANDARD:							
Heat output (Nominal)	7	7	7	8.8	4,9	8,5	8,5
Efficiency (%)	77	77	84	82	81	77	77
Maximum log lenght (cm)	50	50	50	55	40	60	60
External air connection	•	•	•	•	•	•	•
Flue outlet: Top(T) / Rear (R) / Side (S)	T	T/R	T/R	T/R	T/R	T	T
Distance to combustible (calculated with semi-insulated steel chimney. Some products may need convection plate) Rear (A)/side (B)/corner (C) (mm)	300/700/563	300/700/563	300/570/400	150/400/230	250/250/200	300/600/600	300/600/600
Distance to firewall Rear (D)/side (E)/corner (F) (mm)	100/500/213	100/500/213	100/100/100	200/200/150	100/100/100	100/400/250	100/400/250
Height flue outlet mm (top)	950	950 + flue 370	727	732	637	1000	1340
Height center flue outlet mm (rear)	-	1024	645	632	547	-	-
Outside air connection, distance from rear to centre flue pipe X (mm)*	88	88	114	85	68	216	216
Outside air connection, distance from floor to centre flue pipe Y (mm)*	140	584		179		586	926
Flue size - Ø (mm)	150	150	150	150	125	150	150
Weight approx. (kg)	170	201	158	200	87	215	255
Dimensions (mm) (HxWxD)	1000x594x532	1319x594x532	727x670x597	732x793x713	637x320x540	1000x724x546	1340x715x546
Ash solution (*accessories)			•	•			
FINISH OPTIONS:							
BP Black paint	•	•	•	•	•	•	•
WHE White enamel							
IVE Ivory enamel			• (F 400 SE)	• (F 500 SE)			
BBE Blue black enamel			• (F 400 SE)	• (F 500 SE)	•		
QR-CODE:							
Scan the QR-code and find all information and technical documentation online.							


* see sketch on page 60

MINIMUM DISTANCE TO WALL

Minimum distance to combustible wall
(distances A, B and C). More information at intl.jotul.com



Minimum distance to combustible wall protected by approved firewall (distances D, E and F). More information at intl.jotul.com

[illegible]








HOW TO SCAN QR-CODES

To find user guide, assembly instructions and other documentation, please scan the QR code below the product

1. Use a QR-scanner app downloaded from Google Play or App store // IOS users: Open the default camera app
2. Hold your device so that the QR code appears in the window
3. Tap the notification to open the link

WOOD INSERTS

	JØTUL I 400 FLAT	JØTUL I 400 HARMONY	JØTUL I 400 PANORAMA	JØTUL I 520 F	JØTUL I 520 FR/FL	JØTUL I 520 FRL	JØTUL I 620 F
Page	44	44	44	42	42	42	43
STANDARD:							
Heat output (Nominal)	6	6	6	7	7	7	9
Efficiency (%)	78	78	78	77	77	77	77
Maximum log lenght (cm)	40	40	40	50	50	50	60
External air connection	•	•	•	•	•	•	•
Flue outlet: Top(T) / Rear (R) / Side (S)	T	T	T	T/R	T/R	T/R	T
Flue size - Ø (mm)	150/175	150/175	150/175	150/175	150/175	150/175	150/175
Weight approx. (kg)	125	125	125	110	110	110	153
Dimensions (mm) (HxWxD) Dim. for insert is measured HxW (outer measures front)	524x640x422	524x640x516	524x640x516	499x670x431	499x632x431	499x594x431	499x800x431
Ash solution (*accessories)	•*	•*	•*				
FINISH OPTIONS:							
BP Black paint	•	•	•	•	•	•	•
QR-CODE:							
Scan the QR-code and find all information and technical documentation online.							

	JØTUL I 620 FR/FL	JØTUL I 620 FRL	JØTUL C 400 HARMONY	JØTUL C 400 PANORAMA	JØTUL C 24
	43	43	45	45	45
	9	9	6	6	7
	77	77	78	78	78
	60	60	40	40	50
	•	•	•	•	•
	T	T	T	T	T
	150/175	150/175	150/175	150/175	150/175
	162	171			136
	499x762x431	499x723x431	690x775x516	690x775x516	510x705x441
			•*	•*	•*
	•	•			•
					

Retail info:

JØTUL PRODUCT CATALOGUE

2024

intl.jotul.com

Jøtul is continuously working to improve our products and we reserve the right to make amendments regarding specifications, colours and equipment without previous warning. We are not responsible for printing errors. Some products might be depicted with accessories.

JØTUL AS
P.o. box 1411
1602 Fredrikstad
Norway